



Easy-clamping base M



Easy-clamping base L



Easy-clamping base XL

QUICK, FLEXIBLE AND COPLANAR

The unique Easy-clamping base serves as a quick clamping station for a variety of vices and extensions blocks.

Fixing, adjusting and removing to machine tables with t-slots is done in a few seconds by turning just a single screw.



EASY-CLAMPING SYSTEM

Clamping tools with this logo can be used in combination with our Easy-clamping system.



Where appropriate, the suitable Easy-clamping base M, L or XL is specified.

BENEFITS

- | quick adaption
- | modular clamping system for various combinations
- | use with standard clamping systems

EASY-CLAMPING BASE	M	L	XL
Qcut 250 M			
Brillant 220			
Qcut 250 A			
Brillant 230			
Qcut 350 A			
Brillant 255			
Qcut 400 A			
Qcut 500 A			
Qcut 600 A/BOT			
Qcut 800 A		*	

** only conditionally recommended



MACHINE TABLE

All recent QATM machine tables are standardly equipped with t-slots (retrofitting possible).



Change of preassembled Easy-clamping bases



Flexible by rotating and clamping elements

OPERATION

The flexible modular system of combining rotating and clamping with standard clamping elements saves from difficult and painstaking mounting of clamping tools into t-slots. Therefore the Easy-clamping system is a great benefit for your everyday work.

Qcut 250 A 350 A | Brillant 220 230
EASY-CLAMPING BASE M

- | for machine tables with T-slots
- | incl. clamping key



WxHxD 15 x 80 x 200 mm

Order No.: Z2236008

* not suitable for Brillant 220

Direct adaption


- | fast lock vice 50
- | fast lock vice 60
- | fast lock vice 80*
- | clamping system X-Clamp 3858

Matching modules

- | rotatable plate (base for headpieces and rotatable modules)
- | head piece 1 (base for vacuum- and duo sample holder)
- | head piece 2 (base for fast lock vice 50)
- | head piece 3 (intermediate module for rotating plates)
- | head piece 4 (base for fast lock vice 60)

Qcut 250 M 350 A 400 A 500 A 600 A/BOT 800 A* | Brillant 230 255
EASY-CLAMPING BASE L

- | for machine tables with T-slots
- | incl. clamping key



WxHxD 20 x 80 x 245mm

Order No.: Z2236011

* only conditionally recommended

Direct adaption


- | fast lock vice 60
- | fast lock vice 80
- | adapter for universal vices:
 - V-block plate,
 - system height adapter,
 - guide bar with sliding carriage and V-groove block

Matching modules

- | rotatable plate (base for headpieces and rotatable modules)
- | head piece 1 (base for vacuum- and duo sample holder)
- | head piece 2 (base for fast lock vice 50)
- | head piece 3 (intermediate module for rotating plates)
- | head piece 4 (base for fast lock vice 60)

Qcut 500 A 600 A/BOT 800 A
EASY-CLAMPING BASE XL

- | for machine tables with T-slots
- | incl. clamping key




WxHxD 20 x 100 x 400 mm

Order No.: Z2236026

Direct adaption

- | guide bar with sliding carriage 400 set (base for universal vice Mono 132 and chain clamping vice)
- | universal power clamp 100/380

EASY-CLAMPING MODULES




Product video



ROTATABLE PLATE

The rotatable plate is an intermediate module for angle adjustment with 15°-increments and a precision of 1/2°. The fitting head piece is easily to adapt to the clamping element by a quick holding fixture.



Extension of the pivotal dimension by several rotatable plates

SWIVELING, ROTATING, CLAMPING

Various Easy-clamping modules are a great benefit for your everyday work. The proved fast lock vices combined with the Easy-clamping modules serve as a quick clamping station for a variety of vices and extensions blocks. Changing of configured clamping vices with Easy-clamping bases is as fast than ever.



CLAMPING MODULES XL

Clamping of large components in large machines requires a very firm clamping tool. Therefore, the modules for the Easy-clamping system XL are a particularly strong. They can be built up only with power clamp 100/380 and the guide bar for universal vice Mono 132 and chain clamping vice.



Guide bar with universal vice



Guide bar with chain clamping vice



Universal power clamp 100/380

MODULES FOR EASY-CLAMPING BASE M AND L

ROTATABLE PLATE

(M) (L)



- | quick holding fixture for quick and easy changing the head piece
- | incl. clamping key

Angle precision 1/2°

Increments 15°

Order No.: Z2236005



Vacuum-sample holder

MATCHING MODULES

(M) (L)

- | Head piece 1 (base for vacuum- und Duo-sample holder)
- | Head piece 2 (base for fast lock vice 50)
- | Head piece 3 (intermediate module for rotatable plates)
- | Head piece 4 (base for fast lock vice 60)
- | Swiveling prism 60 and 100



Duo-sample holder

HEAD PIECE 1

(M) (L)

- | base for vacuum-/Duo-sample holder



Order No.: Z2236006

HEAD PIECE 2

(M) (L)

- | base for fast lock vice 50 and customized solutions



Order No.: Z2236007



Fast lock vice 50

HEAD PIECE 3

(M) (L)

- | intermediate module with angle 90° for adapting an additional rotatable plate
- | with additional rotatable plate adaption for swiveling unit with fast lock vice 50 and 60



Order No.: Z2236016


Swivel unit with
fast lock vice 50

MODULES FOR EASY-CLAMPING BASE M AND L

HEAD PIECE 4

(M) (L)

base for fast lock vice 60 and customized solutions



Order No.: Z2236025

SWIVELING PRISM

(M) (L)

Swiveling prism

for cylindrical samples $\varnothing$ 4-20 mm

swivel range adjustable 0-90°



60

100

Swiveling prism 60

Swiveling prism 100

Order No.: Z2236021

Order No.: Z2236023



CLAMPING ELEMENT FOR HEADPIECE 1 – ROTATABLE PLATE

VACUUM SAMPLE HOLDER

(M) (L)

for object slides and unclampable samples



For microscope slide 28 x 48 mm

Order No.: Z2236002

Vacuum pump

230 V/50 Hz (1Ph/N/PE)

Order No.: Z1304600

110 V/60 Hz (1Ph/N/PE)

Order No.: Z1304634



CLAMPING ELEMENT FOR HEADPIECE 1 – ROTATABLE PLATE

DUO SAMPLE HOLDER

(M) (L)

for object slides and target preparations

4 ball head screws



Max. sample size 30 x 55 mm

Order No.: Z2236003



CLAMPING ELEMENT FOR HEADPIECE 3 – 2 ROTATABLE PLATES

SWIVEL UNIT VICE

(M) (L)



Base for fast lock vice 50

Order No.: Z2236017



Base for fast lock vice 60


Order No.: Z2236018

MODULES FOR EASY-CLAMPING BASE L

SYSTEM-HEIGHT ADAPTER 50

(L)

- | multiple mountable
- | base for fast lock vice 80
- | extension with V-block plate 40 for universal vices
- | incl. set of center bolts



Construction height 50 mm

Order No.: Z1304631



Mounting example

V-BLOCK PLATE 40

(L)

- | base for universal vices
- | for Easy-clamping base L (please order set of center bolts)
- | also usable without Easy-clamping base, incl. fasteners


Construction height 40 mm
T-slot 12 mm

Order No.: Z1304624


Universal vice
Piccolo

ACCESSORIES

SET OF CENTER BOLTS

(L)

- | for mounting to Easy-clamping base or height-adapter



Order No.: Z2236013


Universal vice
Mono

center bolts

ACCESSORIES

GUIDE BAR WITH SLIDING CARRIAGE AND V-GROOVE BLOCK (L)




without Universal vice

- | base for Universal vices Mono
- | for clamping crankshafts, camshafts
- | bar 280 mm, with sliding carriage, V-groove block
- | incl. fasteners for T-slot 12 mm

Order No.: Z1350001

VERTICAL VICE (M) (L)



- | for clamping of delicate, thin specimens
- | integrated Easy-clamping base M or L
- | incl. adjustable stop

Vertical Vice single



with Easy-clamping base M

Order No.: Z2236009

with Easy-clamping base L

Order No.: Z2236019

Vertical Vice double

- | detached segment is still clamped after cutting



with Easy-clamping base M

Order No.: Z2236010

with Easy-clamping base L

Order No.: Z2236020

SCREW CLAMPING SYSTEM (M)



- | for longitudinal cut of screws
- | tool mounting with Easy-Clamping Base M (medium)
- | Easy-Clamping Base M is already completely integrated
- | for Ø outer thread 4 - 12 mm
- | HxWxD 95 x 85 x 200 mm
- | incl. clamping key

Order No.: Z1304643

Qcut 500 A 600 A/BOT 800 A (XL)

GUIDE BAR 400 SET



without Universal vicer

- | base for Universal vices Mono, Duo, chain clamping unit
- | for clamping crankshafts, camshafts
- | bar 400 mm, standard sliding carriage
- | 1x V-groove block 120°
- | 2x slanted resting blocks
- | incl. fasteners for T-slot 12 mm

Order No.: Z1350024



ACCESSORIES

UNIVERSAL-POWER CLAMPING SYSTEM 100/380

XL



- | integrated mechanical-hydraulic power
- | with standard clamping jaws plane/grooved, h 34 mm
- | incl. fasteners for T-slot nuts 12 mm and hand crank

Clamping width	0-205 mm
Max. clamp force	25 kN
Weight	18.5 kg
WxHxD	100 x 104 x 466 mm

Order No.: Z2234015



UNIVERSAL-POWER CLAMPING SYSTEM 100/540



- | integrated mechanical-hydraulic power
- | incl. fasteners for T-slot nuts 12 mm

Clamping width	0-365 mm
Max. clamp force	25 kN
Weight	26.3 kg
WxHxD	100 x 104 x 625 mm

Order No.: Z2234016



V-GROOVE JAW



- | horizontal V-groove
- | combinable with flat jaw h 80 mm
- | incl. fixing screws

WxH	100 x 80 mm
for clamping round material	Ø 10-100 mm

Order No.: Z2234018



ANGLE DRIVE



- | crank with top operation

Order No.: Z2234019



FLAT JAW/H 80 MM



- | grooved tightening surface
- | for clamping parallel specimens
- | combinable with V-groove jaw
- | incl. fixing screws

WxH	100 x 80 mm
-----	-------------

Order No.: Z2234017

Brillant 220
FAST LOCK VICE 50


- | with manual force amplification
- | incl. accessories

-  M direct adaption head piece 2, swivel unit
-  L head piece 2, swivel unit

Jaws WxH 35 x 25 mm
T-slot 8 mm

Clamping range 50 mm

| lever left

Order No.: Z2270002

| lever right

Order No.: Z2270000

Clamping range 100 mm

| lever left

Order No.: Z2270003

| lever right

Order No.: Z2270001

V-groove jaw

round materials Ø 1-35 mm

Order No.: 02270011

Qcut 250 A 350 A 400 A | Brilliant 220 230 255
FAST LOCK VICE 60


- | with force memory system
- | horizontal fixation of round materials

-  M direct adaption head piece 4, swivel unit
-  L head piece 4, swivel unit

Jaws WxH 60 x 32 mm
HxD 54 x 195 mm

Clamping range 120 mm

| lever left

Order No.: Z2235002

| lever right

Order No.: Z2235001

V-groove jaw

round materials Ø 2-35 mm

Order No.: 02235013



Qcut 250 M 250 A 350 A 400 A 500 A 600 A/BOT 800 A I Brillant 230 255
FAST LOCK VICE 80


- | with force memory system
- | horizontal fixation of round materials

 M direct adaption
L direct adaption
height adapt. 50

Jaws WxH 80 x 35 mm

Clamping range 100 mm

Clamping range 150 mm

Clamping range 250 mm

- | not for Qcut 250 M, 250 A, 350 A I Brillant 230

HxD 71 x 203 mm

HxD 71 x 253 mm

HxD 71 x 353 mm

| lever left

| lever left

| lever left

Order No.: Z2231001

Order No.: Z2231002

Order No.: Z2231020

| lever right

| lever right

| lever right

Order No.: Z2231003

Order No.: Z2231004

Order No.: Z2231021



V-groove jaw

round materials Ø 2-40 mm

Order No.: 02231016

Qcut 250 M 250 A 350 A 400 A 500 A 600 A/BOT 800 A I Brillant 230 255
QTOOL 80


- | fast lock vice with force memory function
- | clamping force adjustment High and Low
- | integrated Easy clamping function
- | easy and quick exchange of clamping jaws
- | movable counter jaw
- | ergonomic handle with extension option
- | incl. 2 exchangeable standard clamping jaw

Jaws (W x H) 100 x 40 mm

Clamping range 100 mm

Clamping range 150 mm

Clamping range 250 mm

- | not for Qcut 250 M

- | not for Qcut 250 M, 250 A, 350 A I Brillant 230

HxD 86 x 256 mm

HxD 86 x 303 mm

HxD 86 x 403 mm

Order No.: Z2231200

Order No.: Z2231201

Order No.: Z2231202



Clamping jaw 70 mm



dimensions (W x H) 100 x 70 mm

Order No.: 02231212

Prism jaw 40 mm



prism jaw for diameters 5 - 28 mm
dimensions (W x H) 100 x 40 mm

Order No.: 02231213



Bevelled jaw 40 mm



clamping jaw for down clamping of round material
5° bevelled clamping surface
dimensions (W x H) 100 x 40 mm

Order No.: 02231229

Cross prism jaw 40 mm



horizontal 0° and vertical 90° prism for
max. diameter: 55 mm
dimensions (W x H) 100 x 40 mm

Order No.: 02231230



Round bar jaw 70 mm slotted



longitudinal prism for max. diameter: 70 mm
slotted on both sides
dimensions (W x H) 150 x 65 mm

Order No.: 02231231

Prism jaw 70 mm slotted



horizontal prisms for maximum diameters:
7 mm, 18 mm, 53 mm
slotted on both sides
dimensions (W x H) 150 x 65 mm

Order No.: 02231232

Clamping jaw 70 mm slotted



slotted on both sides
dimensions (W x H) 150 x 65 mm

Order No.: 02231233

Qcut 400 A 500 A 600 A/BOT 800 A
ROTATING PLATE 2X 60°

- | manual rotation of clamping tool
- | manual horizontal move on machine table



Clamping range 100 mm

Swivel range +/- 60°

Order No.: Z1304560


CROSS VICES, EXPANSION CLAMPING DEVICE




CROSS VICE

- | especially suitable for samples which contract during cutting process by material tension: the samples are pulled apart by the transversely exciting jaws
- | for parallel clamping of round and rectangular samples, particular for longitudinal cutting through hardened materials
- | excentric clamping arrangement allows rapid changing of samples

Qcut 250 M 250 A 350 A
Brillant 230 255

CROSS VICE 50/100



| counter holder adjustable

WxH	50 x 50 mm
Round materials	Ø max. 60 mm
Clamping range	max. 100 mm
Incl. accessories	T-slot 12 mm

Order No.: Z1340010

Qcut 400 A 500 A 600 A/BOT 800 A
Brillant 255*

CROSS VICE 80/100



| counter holder adjustable

WxH	80 x 50 mm
Round materials	Ø max. 90 mm
Clamping range	max. 100 mm
Incl. accessories	T-slot 12 mm

Order No.: Z1340000

* on request

Qcut 500 A 600 A/BOT 800 A
CROSS VICE 80/150



| counter holder adjustable

WxH	80 x 50 mm
Round materials	Ø max. 90 mm
Clamping range	max. 150 mm
Incl. accessories	T-slot 12 mm

Order No.: Z1340001

Qcut 400 A 500 A 600 A/BOT 800 A
Brillant 255

EXPANSION CLAMPING DEVICE



| to release material tension of cylindrical, hollow workpieces

Inner sample-Ø	55-120 mm
Adjustment*	~ 10 mm
* extendable by exchange of cylindrical pins	

Order No.: Z1304636



CUTTING ACCESSORIES

ANGLE VICES

Qcut 250 A 350 A 400 A 500 A 600 A/BOT 800 A
Brillant 230 255

ANGLE VICE 60



- | vertically centered, stainless
- | 2x plain jaws

Sample-Ø	max. 60 mm with V-groove jaw
Clamping range	55 mm
Rotatable	270°
Incl. accessories	T-slot 12 mm

Order No.: Z1304001

V-GROOVE JAW

Round materials	Ø 10-60 mm
-----------------	------------

Order No.: 01304008

Qcut 250 A 350 A 400 A 500 A 600 A/BOT 800 A
Brillant 230 255

ROTATING VICE 60



- | horizontally centered, stainless
- | 2x plain jaws

Sample-Ø	max. 60 mm with V-groove jaw
Clamping range	55 mm
Swivel range	90°
Incl. accessories	T-slot 12 mm

Order No.: Z1304002

V-GROOVE JAW

Round materials	Ø 10-60 mm
-----------------	------------

Order No.: 01304008

Qcut 400 A 500 A 600 A/BOT 800 A
Brillant 255

ANGLE VICE 80



- | vertically centered, stainless
- | 2x plain jaws

Sample-Ø	max. 60 mm with V-groove jaw
Clamping range	70 mm
Rotatable	270°
Incl. accessories	T-slot 12 mm

Order No.: Z1302000

V-GROOVE JAW

Round materials	Ø 10-60 mm
-----------------	------------

Order No.: 01302016

Qcut 400 A 500 A 600 A/BOT 800 A | Brillant 255

BASIC MODULE

UNIVERSAL POWER CLAMPING SYSTEM LC 90




- | easy and safe clamping of various workpieces
- | various clamping jaws available
- | up to 28 kN tension with modest effort through mechanical power transmission
- | adjustable clamping force (11 settings)
- | incl. fasteners for t-slot nuts 12 mm and hand crank

Order No.: Z2234001

ACCESSORIES

CLAMPING JAWS

Carrier jaws LC 90



- | 1 pair, base for V-groove jaw and flat jaw 100
- | easy fastening with just one screw
- | made of high-strength aluminium with ceramic coating

Order No.: Z2234003

V-groove jaw 100



- | 1 piece, combinable with flat jaw 100
- | rotatable jaw (case-hardened steel)
- | jaw size (WxH) 100 x 70 mm
- | two horizontal V-grooves
- | for clamping round material between Ø 10 and 100 mm
- | incl. fixing screw

Order No.: Z2234004

Spannbacke glatt 100



- | 1 piece, combinable with flat jaw 100
- | flat tightening surface
- | for clamping parallel specimens

Order No.: Z2234005

ACCESSORIES

QUICK-CHANGING DEVICE



- | 1 pair
- | quick and easy connection of modules by using pull-down-studs
- | for fixation of
 - step jaw 100
 - clamping system X-Clamp 100
 - customized clamping solutions

Order No.: Z2234009

STEP JAW 100



- | 1 pair
- | clamping of parallel workpieces
- | application of clamping force via basic module LC 90
- | 180° rotatable
- | use only with quick changing device

Order No.: Z2234008

CLAMPING SYSTEM X-CLAMP 100



- | 1 pair
- | individual and safe clamping of various specimen shapes and sizes with spring suspended stainless steel plungers
- | perfect form fit with minimal effort
- | time-saving
- | use only with quick-changing device
- | incl. torque wrench and fixing screws

Order No.: Z2234002

BASE 90°



- | for installing the basic module LC 90 in side position 90°
- | incl. fixing material for T-slot nut DIN 650 12 mm

Order No.: Z2234006

SUPPORT MODULE



- | 1 piece
- | for supporting long workpieces
- | reducing of vibrations
- | spring suspended plungers fit tightly to the specimen
- | fixation of plungers
- | supplementary fixation of workpiece from above possible with universal vice
- | quick and easy connection of modules by using pull-down studs

Order No.: Z1350023

CUSTOMIZED CLAMPING JAWS



- | QATM-service: send us your drawing (DXF or DWG-file) or fotos of your workpiece.

We will design your individually optimized clamping vice.

on request

BASIC MODULE
CLAMPING SYSTEM X-CLAMP 3858


- | individual and safe clamping of various smaller specimen shapes and sizes with spring suspended stainless steel plungers
- | perfect form fit with minimal effort
- | time-saving
- | incl. torque wrench

Plunger area WxH 23 x 20 mm

Plunger stroke 12 mm

Max. clamping width 118 mm

Order No.: Z2234010

 M direct adaption

ACCESSORIES
BASE FOR CLAMPING SYSTEM X-CLAMP 3858


- | incl. fixing material
- | for fixation with T-slot nut 8 mm

Order No.: Z2234012

- | incl. fixing material
- | for fixation with T-slot nut 12 mm

Order No.: Z2234011

CUTTING ACCESSORIES

UNIVERSAL VICES

Qcut 250 M 250 A 350 A | Brillant 220 230

UNIVERSAL VICE PICCOLO 54



L hight adapter 50
V-block plate 40

Order No.: Z1350008

| incl. handle

Working radius	54 mm
Clamping height	-15-58 mm
Clamping force	6.5 kN
Fixing screws	M 8 x 25
T-slot nut stainless	M 8 x 12

suitcase set

Universal vice Piccolo 54



- | 2x universal vice Piccolo 54
- | 2x height adapter Piccolo
- | 1x handle Piccolo
- | 1x clamping arm extension
- | 3x standard clamping shoe
- | 1x piece clamping shoe traverse bridge
- | 1x clamping shoe longitudinal bridge
- | 1x clamping shoe traverse V-shoe
- | 1x clamping shoe longitudinal V-shoe
- | 4x T-slot nuts stainless M 8 x 12
- | 4x fixing screws M 8 x 25

Order No.: Z1350010

UNIVERSAL VICE PICCOLO 100



Order No.: Z1350012

| incl. handle

Working radius	100 mm
Clamping height	-40-90 mm
Clamping force	4.2 kN
Fixing screws	M 8 x 25
T-slot nut stainless	M 8 x 12

Qcut 250 M 250 A 350 A 400 A 500 A 600 A/BOT 800 A | Brillant 230 255

UNIVERSAL VICE MONO 61



L hight adapter 50, guide bar
V-block plate 40

Order No.: Z1350002

| incl. handle

Working radius	61 mm
Clamping height	-8-102 mm
Clamping force	12 kN
Fixing screws	M 10 x 32
T-slot nut stainless	M 10 x 12

suitcase set

Universal vice Mono 61



- | 2x universal vice Mono 61
- | 2x height adapter Mono
- | 1x handle Mono
- | 1x clamping arm extension
- | 3x standard clamping shoe
- | 1x clamping shoe traverse bridge
- | 1x clamping shoe longitudinal bridge
- | 1x clamping shoe traverse V-shoe
- | 1x clamping shoe longitudinal V-shoe
- | 4x T-slot nuts stainless M 8 x 12
- | 4x fixing screws M 8 x 25

Order No.: Z1350004

UNIVERSAL VICE MONO 132




L hight adapter 50, guide bar
V-block plate 40
XL guide bar 400

Order No.: Z1350011

| incl. handle

Working radius	132 mm
Clamping height	-43-155 mm
Clamping force	8 kN
Fixing screws	M 10 x 32
T-slot nut stainless	M 10 x 12

UNIVERSAL VICE DUO


- | for clamping and lifting
- | with 2 changeable clamping arms
- | incl. handle

Working radius	46-91 mm
Clamping height	0-129 mm
Lifting height	4-142 mm
Clamping force	11 kN
Fixing screw	M 10 x 32
T-slot nut stainless	M 10 x 12

XL guide bar 400

Order No.: Z1350005

CHAIN CLAMPING VICE


- | for clamping of big parts
- | 1x universal vice Mono
- | 1x chain (length 1m)
- | 1x hooking block for chain

Clamping force	16 kN
Fixing screw	M 10 x 32
Fixing screw DIN 912	M 10 x 25
2x T-slot nut stainless	M 10 x 12

XL guide bar 400

Order No.: Z1350006

ACCESSORIES
CLAMPING SHOES

- | for all universal vices



Longitudinal V-shoe

Order No.: 92005796



Traverse V-shoe

Order No.: 92005797



Longitudinal bridge

Order No.: 92005799



Traverse bridge

Order No.: 92005800



Standard clamping shoe

Order No.: 92005798

FIXATION
Fixing screw

- | for universal vice Piccolo



M 6 x 25

Order No.: Z1304591

M 8 x 25

Order No.: 95003169

M 10 x 25

Order No.: 95003170

- | for universal vice Mono, Duo, chain clamping system

M 10 x 32

Order No.: 95003168

T-slot nut stainless*


M 6 x 8

Order No.: 91001157

M 8 x 10

Order No.: 91001161

M 8 x 12

Order No.: 91001159

M 10 x 12

Order No.: 91001158

* other sizes on request

ACCESSORIES

HEIGHT ADAPTER PICCOLO



Construction height	60 mm
Fixing screw	M 8 x 25
T-slot nut, stainless	M 8 x 12

Order No.: Z1350007

HÖHENUNTERSATZ MONO



Construction height	74 mm
Fixing screw	M 10 x 32
T-slot nut, stainless	M 10 x 12

Order No.: Z1350003

CLAMPING ARM EXTENSION



without universal vice

I for Piccolo 54 and Mono 61	
Extension	90 mm
Clamping shoe	Standard

Order No.: 95003172

PAIR OF V-BLOCKS



Angle	90°
for samples	Ø 5-50 mm
D x W	50 x 150 mm

Order No.: 92005805

CUSTOMIZED CLAMPING TOOLS

Different types of tasks and conditions constitute diverse demands on clamping tools and cutting equipment. The construction of our machines gives us the opportunity to design and manufacture custom-made solutions for special dimensions. QATM has already successfully developed special clamping tools for complicated cutting movements or geometries.

Guide bar 400 Set

